

The Bunyan Striker

Introducing a machine that has essentially transformed how concrete is laid down.

Speedcrete are proud to be the first suppliers to introduce the Bunyan Power Striker into the United Kingdom. The Bunyan Striker roller screed is an ideal tool for accurate, rapid and effective levelling of concrete slabs, slopes, pathways & driveways.





The Striker tube spins in the opposite direction of travel, creating a positive grasp of friction between the concrete and the underside of the tube, effectively cutting surplus material which itself rolls ahead of the tube towards the point of delivery. The action of the tube against the surface produces a kneading effect which in turn consolidates the top mat to an effective depth of some 2 inches (5cm). The tube, itself, does not provide any vibration, having a positive effect of leaving the major aggregate close to the surface where it is needed to provide durability.



The Bunyan Striker



How does it work?

The Bunyan Striker roller screed is operated by two people, the roller screed drive handle is connected to the hydraulic drive handle via a Hot End Conehead which plugs into the roller screed, (the operator on the 'Hot End' has control of the rotation of the screed via the controls). The Cold End Conehead is plugged into the roller at the opposite end to the Hot End and hooked onto the Cold End operator handle.

Hot End Drive Handle



Hot End Conehead

*The Bunyan hot end Conehead is a removable drive end fixture for the Bunyan screed tube. This allows the same end fixture to be used in a variety of tube lengths for economy and versatility in your Bunyan equipment.

Cold End Conehead

*The Bunyan cold end Conehead is a removable non-drive end fixture for the Bunyan screed tube and is used in conjunction with the hot end Conehead.



*All Roller Tubes supplied with a hired Bunyan Striker have Hot End and Cold End Coneheads already welded on. However Coneheads are available to purchase seperately for Bunyan Striker owners who require back-up parts for running onsite repairs during heavy usage.





Specifications

Engine:	Petrol = Honda GX340 11HP Diesel = Kubota OC95 8.5 HP
Flow Rate:	4 GPM at 2600 PSI
Motor RPM:	Petrol = 2,500 RPM Diesel = 3,600 RPM
Hose Length:	40ft
Max Screed Width:	30ft
Weight:	Petrol = 165kg Diesel = 180kg

Summary

Speedcrete can supply every component required to use the Bunyan Striker successfully. For slope work a specialised winch system can be purpose built for your requirements.

All Bunyan Strikers come with the Roller Tube as part of the rental, all of the products shown in this document can also be purchased as new, so feel free to email: sales@speedcrete.co.uk or give us a call by calling a member of the team, (see contact numbers below) we will be happy to advise the best solution for you and answer any questions you may have.

Speedcrete also have a used equipment section online where ex-hire Bunyan Strikers can be purchased at a competitive rate with a guarantee. Speedcrete also make available the workshops and skilled staff in our strategically positioned depots covering the UK for paid maintenance if you require our service in the future we are here for you.



www.speedcrete.co.uk Sales@speedcrete.co.uk